



Oil Price
Iran Commodity Data Group

Heavy End

PROPERTY	TEST METHOD	SPECIFICATION	TYPICAL VALUE
Density at 15.6°C, gr/cm ³	ASTM D-4052	0.82-0.84	0.8333
Saybolt Color	ASTM D-156	+15 min	+17
Water, ppm	UOP 481	100 max	30
Flash Point, °C	ASTM D-93	75 min	112
Pour Point, °C	ASTM D-97	<-20	-26
Distillation Range:	ASTM D-86		
Initial Boiling Point, °C		225 min	254
95%, °C		250-270	267
Final Boiling Point, °C		280 max	275